

## CERTIFICATE FOR PRODUCT CERTIFICATION

This is to certify that:

# Rand Instruments Africa (Pty) Ltd

is a CERTEX approved manufacturer and repairer and may apply the CERTEX mark of approval on their products as indicated on the schedule of certification that accompanies this certificate.

This certificate is valid from 31 July 2018 and expires on 30 July 2019 provided that all CERTEX conditions are complied with.

**SANS 60079-0**  
**SANS 60079-2**  
**SANS 60079-16**

**Certificate Number: CX1403 Ed. 2.0**



**Director: Technical**

## Schedule of Certification

### 1. Certificate holder

<u>Name</u>	Rand Instruments Africa (Pty) Ltd	<u>Management Representative</u>
Physical Address:	7 Neon Rd, Springs 1559	Mr Paul van Heerden
Postal Address:	PO Box 14361, Dersley Park, 1569	
Tel:	+27 11 812 5500	
Fax:	+27 11 812 2133	
E-mail:	paulvh@randinstruments.com	

### 2. Validity period

Date of Issue: 31 July 2018

Expiry Date: 30 July 2019

### 3. Certified products

The products covered are:

- a) New pressurized (Ex p) analyser shelters designed and constructed in accordance with a recent edition of SANS 60079-16;
- b) Existing pressurized (Ex p) analyser shelters maintained or upgraded in accordance with a recent edition of SANS 60079-16.
- c) New pressurized (Ex p) enclosures designed and constructed in accordance with SANS 60079-0 and SANS 60079-2.

<b>Equipment</b>	<b>Type</b>	<b>IA number</b>	<b>Ex Rating</b>
Analyser Shelters	Series 2007	S-XPL/15.0140X	Ex [s] IIC T4
Distribution Boards	Series 2004	S-XPL/15.0139X	Ex pz IIC T3 Gc
Instrument enclosures	Series 2014	S-XPL/14.1985X	Ex pz IIC T6 Gc
HVAC	Series 2006	S-XPL/11.1161	Ex nA pz IIC T4
Air Conditioner	Panasonic CU-E24RKD	S-XPL/15.1760X	Ex d nA IIB+ H2 T3 Gc
Air Conditioner	QTF012714GE and QTF024713GE	S-XPL/16.0072X	Ex d mb nA IIB +H2 T3 Gc
Flame arresters	RIA-FA-SH RIA-FA	N/A- Mechanical	N/A- Mechanical

The company's own facilities and/or client workshops will be used.  
NOTE - Only products listed in a valid CERTEX Schedule of Certification are covered by the CERTEX mark. For extension of the schedule, the mark holder must lodge an application with CERTEX.